




NEOPRENE RUBBER 60 DUROMETER



NEOPRENE RUBBER 60 DUROMETER


Colour

Black

Finish

Smooth

Physical Characteristics

Tensile: 620 PSI

Elongation: 300%

Hardness: 60 SHORE "A" +/- 5

Tear Strength: 100 Lbs/in

Temperature Range: -20°C to 77°C (-4°F to 170°F)

Notes

An economical 60 Durometer black rubber sheet that has been specifically formulated to provide moderate oil and petroleum based solvent resistance. In addition, this sheet gives good weathering and ozone resistance for outdoor or unusual environmental conditions. This material is utilized in a broad range of industrial applications from gasket making to the chemical and transportation industries.

COMMERCIAL GRADE ISO/ASTM DESIGNATION= CR

Parts No.	Gauge x Width	Length	Wt. Per SF lbs.
NE0I60-.031-36	1/32" X 36"	100FT	0.23
NE0I60-.031-48	1/32" X 48"	100FT	0.23
NE0I60-.063-36	1/16" X 36"	100FT	0.46
NE0I60-.063-48	1/16" X 48"	100FT	0.46
NE0I60-.094-48	3/32" X 48"	66FT	0.69
NE0I60-.125-36	1/8" X 36"	66FT	0.92
NE0I60-.125-48	1/8" X 48"	66FT	0.92
NE0I60-.188-36	3/32" X 36"	66FT	1.38
NE0I60-.188-48	3/16" X 48"	66FT	1.38
NE0I60-.25-36	1/4" X 36"	66FT	1.84
NE0I60-.25-48	1/4" X 48"	66FT	1.84